Customized Solar Energy Storage Battery 48V 10KWh Li Iron Phosphate **Battery**

Basic Information

. Place of Origin: **CHINA** Brand Name: **ENOOK** 200A Model Number: Minimum Order Quantity:

• Price: 1200-1500USD Packaging Details: carton+pallet Delivery Time: 15~20days

• Payment Terms: T/T

Supply Ability: 10000pcs/month



Product Specification

10kWh . Battery Capacity5: . Battery Type: LFP 95% • Charging Efficiency: . Charging Time: 6 Hours

 Communication Interface: RS485/WiFi/GPRS • Dimension: 567*710*258mm

• Discharging Efficiency: 90% . Life Cycle: 6000 Times • Operating Temperature: 0-50


• Operating Voltage: 220V Power Capacity: 10kW

• Product Name: Solar Energy Storage System

Protection Level: IP65

• Highlight: Customized Solar Energy Storage Battery,

Solar Energy Storage Battery 48V,






Enook Customized Energy Solar Storage48 10KWh Lithium Iron Phosphate Solar Energy Storage System

| Specifications | Enook 230Ah 51.2V 10KW Energy Storge Battery |
|-------------------------------------|---|
| | , ,, |
| Model | Enook |
| Nominal Voltage | 51.2V |
| Discharge Termination Voltage | 43.2V |
| Charging Voltage | 58.4V |
| Minimum Capacity | 230Ah |
| Maximum Charging Current | 100A |
| Discharge Overcurrent Protection | 110A |
| Working Environment | Charging temperature:0 ~55 Discharge temperature:-20 ~60 |
| | ≥3000 Cycles 80% |
| Cycle Life | Normal temperature below 25 |
| Internal resistance (mΩ) | ≤20 |
| Size | Length: 567±2mm |
| | width:710±2mm(excluding ears) |
| | thickness: 258±2mm |
| Estimate Weight | 100kg |
| Shipment status voltage | 51.2V ~ 53V (50% Capacity) |









Changsha Enook Technology Co., Ltd



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717, JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT, CHANGSHA, HUNAN